

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	2	"20040162691"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/29 16:18	
2	BRS	1613	group with delay with (adjust\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/29 16:19	
3	BRS	1770	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/29 16:19	
4	BRS	1856	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/29 16:19	
5	BRS	148	group adj delay\$3 adj(adjust\$3 or compensat\$3 or calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/03 08:24	
6	BRS	4	group adj delay\$3 adj(adjust\$3 or compensat\$3 or calibrat\$3) with allpass with filter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2004/12/29 16:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	6	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) with allpass with filter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/29 16:21	
8	BRS	6	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) same (allpass with filter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/29 16:21	
9	BRS	15	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) and (allpass with filter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:27	
10	BRS	6	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) same ((all adj pass or allpass) with filter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/12/29 16:22	
11	BRS	1	group adj delay\$3 adj(adjust\$3 or compensat\$3 or calibrat\$3) with optimum with perform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:25	
12	BRS	3	group adj delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) with optimum with perform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
13	BRS	61	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) and optimum with perform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:26	
14	BRS	3	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) same optimum with perform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:27	
15	BRS	3	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) and (allpass with filter\$1) and optim\$7 with perform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:37	
16	BRS	17	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) and ((all adj pass or all-pass or allpass) with filter\$1) and optim\$7 with perform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:40	
17	BRS	7	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) and digit\$2 with ((all adj pass or all-pass or allpass) with filter\$1) and optim\$7 with perform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:44	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	18	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) and coefficient\$1 with ((all adj pass or all-pass or allpass) with filter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:55	
19	BRS	1	group with delay\$3 with (adjust\$3 or compensat\$3 or calibrat\$3) and coefficient\$1 with ((all adj pass or all-pass or allpass) with filter\$1) and clos\$3 with loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:57	
20	BRS	23	group with delay\$3 with clos\$3 with loop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:57	
21	BRS	0	group with delay\$3 with clos\$3 with loop\$3 with (all adj pass or all-pass or allpass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 08:58	
22	BRS	20	group with delay\$3 and clos\$3 with loop\$3 and (all adj pass or all-pass or allpass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:15	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
23	BRS	130	702/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:05	
24	BRS	454	702/106,190.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:05	
25	BRS	1	group with delay\$3 and clos\$3 with loop\$3 and digit\$2 with (all adj pass or all-pass or allpass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:15	
26	BRS	16	group with delay\$3 and clos\$3 with loop\$3 and (all adj pass or all-pass or allpass) and digit\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:18	
27	BRS	16	group with delay\$3 and clos\$3 with loop\$3 and (all adj pass or all-pass or allpass) and digit\$2 and phas\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:19	
28	BRS	11	group with delay\$3 and clos\$3 with loop\$3 and (all adj pass or all-pass or allpass) and digit\$2 and phas\$2 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:19-	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
29	BRS 1		group with delay\$3 and clos\$3 with loop\$3 and (all adj pass or all-pass or allpass) with phase\$1 same digit\$2 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:20	
30	BRS 5		group with delay\$3 and clos\$3 with loop\$3 and (all adj pass or all-pass or allpass) with phase\$1 and digit\$2 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:23	
31	BRS 211		370/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:21	
32	BRS 17		group with delay\$3 and (all adj pass or all-pass or allpass) with phase\$1 with digit\$2 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:25	
33	BRS 3		group with delay\$3 and (all adj pass or all-pass or allpass) with phase\$1 with digit\$2 with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:24	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	3	group with delay\$3 and (all adj pass or all-pass or allpass) with phase\$1 with digit\$2 with coefficient\$1 and optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:24	
35	BRS	3	group with delay\$3 and (all adj pass or all-pass or allpass) with phase\$1 with digit\$2 same coefficient\$1 and optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:24	
36	BRS	3	group with delay\$3 and (all adj pass or all-pass or allpass) with phase\$1 with digit\$2 same coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:25	
37	BRS	9	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:26	
38	BRS	40	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 and coefficient\$1 with filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 08:39	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
39	BRS	1	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 and coefficient\$1 with filter\$3 and (closed adj loop or closed-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:29	
40	BRS	1	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 and coefficient\$1 with filter\$3 and (closed adj loop\$3 or closed-loop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:29	
41	BRS	1	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 and coefficient\$1 with filter\$3 and (clos\$2 adj loop\$3 or closed-loop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:30	
42	BRS	1	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 and coefficient\$1 with filter\$3 and optim\$7 with perform\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
43	BRS	7762	370/200,205,208,210,320,335,342,343,442,463,480,485,487,488.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:32	
44	BRS	29	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 and coefficient\$1 with filter\$3 and optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:36	
45	BRS	29	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 and coefficient\$1 with filter\$3 and optim\$7 and phase\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:38	
46	BRS	10	digit\$2 with group with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and (all adj pass or all-pass or allpass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:42	
47	BRS	9	digit\$2 with group with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and (all adj pass or all-pass or allpass) and optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:42	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
48	BRS	10	digit\$2 with group\$3 with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and (all adj pass or all-pass or allpass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:42	
49	BRS	10	group with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and digit\$2 with (all adj pass or all-pass or allpass) and optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:43	
50	BRS	10	group\$3 with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and digit\$2 with (all adj pass or all-pass or allpass) and optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:47	
51	BRS	88	group\$3 with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and (all adj pass or all-pass or allpass) with filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:47	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
52	BRS	1	group\$3 with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and (all adj pass or all-pass or allpass) with filter\$3 and optim\$7 and (closed-loop\$3 or close-loop\$3 and clos\$3 adj loop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:51	
53	BRS	1	group\$3 with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and (all adj pass or all-pass or allpass) with filter\$3 and (closed-loop\$3 or close-loop\$3 and clos\$3 adj loop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:50	
54	BRS	1	group\$3 with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and (all adj pass or all-pass or allpass) . same filter\$3 and (closed-loop\$3 or close-loop\$3 and clos\$3 adj loop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:50	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
55	BRS	1	group\$3 with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and (all adj pass or all- pass or alpass) and (closed-loop\$3 or close- loop\$3 and clos\$3 adj loop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:50	
56	BRS	41	group\$3 with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and (all adj pass or all- pass or alpass) with filter\$3 and optim\$7 and digit\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:51	
57	BRS	10	group\$3 with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and digit\$2 with (all adj pass or all-pass or alpass) with filter\$3 and optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:52	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
58	BRS	5	group\$3 with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and digit\$2 with (all adj pass or all-pass or alpass) with filter\$3 and optim\$7 and phase\$1 and loop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:52	
59	BRS	10	group\$3 with delay\$3 with (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and digit\$2 with (all adj pass or all-pass or alpass) with filter\$3 and optim\$7 and phase\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 10:55	
60	BRS	11	group\$3 with delay\$3 and (tun\$3 or adjutst\$3 or calibrat\$3 or compensat\$3) and digit\$2 with (all adj pass or all-pass or alpass) with filter\$3 and optim\$7 with phase\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 11:02	
61	BRS	62	group\$3 with delay\$3 and (all adj pass or all-pass or alpass) and phase\$1 with specif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 11:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
62	BRS	166	group\$3 with delay\$3 and (all adj pass or all-pass or allpass) and phase\$1 with respons\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 11:04	
63	BRS	155	group\$3 with delay\$3 and (all adj pass or all-pass or allpass) with filter\$3 and phase\$1 with respons\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 11:04	
64	BRS	7	group\$3 with delay\$3 and (all adj pass or all-pass or allpass) with filter\$3 and phase\$1 with respons\$3 and (closed-loop or closed adj loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 12:51	
65	BRS	3	group\$3 with delay\$3 and (all adj pass or all-pass or allpass) with filter\$3 and phase\$1 with respons\$3 and (closed-loop or closed adj loop) and optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 11:06	
66	BRS	144	(all adj pass or all-pass or allpass) with filter\$3 with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 12:51	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
67	BRS	3	(all adj pass or all-pass or alpass) with filter\$3 with coefficient\$1 with digit\$2 with optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 12:52	
68	BRS	4	(all adj pass or all-pass or alpass) with filter\$3 with coefficient\$1 with digit\$2 same optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 12:52	
69	BRS	4	(all adj pass or all-pass or alpass) with filter\$3 with coefficient\$1 with digit\$2 and closed with loop\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 12:53	
70	BRS	33	(all adj pass or all-pass or alpass) with filter\$3 with coefficient\$1 with digit\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 13:53	
71	BRS	1	(all adj pass or all-pass or alpass) with filter\$3 with coefficient\$1 with digit\$2 and (rise-time or risetime or rise adj time or overshoot or preshoot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 13:49	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
72	BRS	0	(all adj pass or all-pass or allpass) with filter\$3 with coefficient\$1 with digit\$2 and amount with ris\$3 with time\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 13:50	
73	BRS	0	(all adj pass or all-pass or allpass) with filter\$3 with coefficient\$1 with digit\$2 and ris\$3 with time\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 13:51	
74	BRS	1	(all adj pass or all-pass or allpass) with filter\$3 with coefficient\$1 with digit\$2 and overshoot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 13:51	
75	BRS	1	(all adj pass or all-pass or allpass) with coefficient\$1 with digit\$2 and overshoot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 13:51	
76	BRS	20	(all adj pass or all-pass or allpass) with filter\$3 with coefficient\$1 and ris\$3 with time\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 15:55	
77	BRS	20	(all adj pass or all-pass or allpass) with filter\$3 with coefficient\$1 and ris\$3 with time\$1 and digit\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 13:51	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
78	BRS	3	(all adj pass or all-pass or alpass) with filter\$3 with coefficient\$1 and ris\$3 with time\$1 and digit\$2 and optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 13:52	
79	BRS	9	(all adj pass or all-pass or alpass) with filter\$3 with coefficient\$1 with digit\$2 and group\$3 with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 13:57	
80	BRS	1	(all adj pass or all-pass or alpass) with filter\$3 with coefficient\$1 with digit\$2 and (prshoot or overshoot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 13:58	
81	BRS	6	(all adj pass or all-pass or alpass) with filter\$3 with coefficient\$1 with digit\$2 and optim\$7 with perform\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 14:02	
82	BRS	5	(all adj pass or all-pass or alpass) with filter\$3 with coefficient\$1 with digit\$2 and optim\$7 with perform\$4 and group\$3 with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 14:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
83	BRS	1	(all adj pass or all-pass or allpass) with filter\$3 with coefficient\$1 and fuzzy with logic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 16:16	
84	BRS	1135	group with delay with compensat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/03 16:16	
85	IS&R	2	("5341304").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 08:02	
86	BRS	6	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 and coefficient\$1 with filter\$3 and polypase\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 11:16	
87	BRS	3064	375/229,298,308,340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 08:47	
88	BRS	613	708/300,301,303,304.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 08:47	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
89	BRS	1	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 and coefficient\$1 with filter\$3 and fuzzy with logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 09:17	
90	BRS	1	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 and coefficient\$1 with filter\$3 and fuzzy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 09:17	
91	BRS	3	group with delay\$3 and (all adj pass or all-pass or allpass) with digit\$2 and coefficient\$1 with filter\$3 and polyphase\$1 and (adjust\$3 or compensat\$3 or calibrat\$3 or tun\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 09:48	
92	BRS	2	"20030215028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 10:30	
93	BRS	2	"20030103723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 10:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
94	BRS	2	"20030053174"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 10:40	
95	BRS	2	"20030028374"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 10:41	
96	BRS	3	"20020191299"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 10:44	
97	BRS	2	"20020159691"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 10:45	
98	BRS	2	"20020012389"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 10:46	
99	BRS	4	"6438367"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 10:47	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
100	BRS	28	digital adj filter\$1 and (allpass or all-pass or all adj pass) and group adj delay\$3 and (calibrat\$3 or adjust\$3 or compensat\$3 or tun\$3) with phase\$1 and optim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 11:23	
101	BRS	17	digital adj filter\$1 and (allpass or all-pass or all adj pass) and group adj delay\$3 and (calibrat\$3 or adjust\$3 or compensat\$3 or tun\$3) with phase\$1 and optim\$6 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 11:34	
102	BRS	7	digital adj filter\$1 and (allpass or all-pass or all adj pass) and group adj delay\$3 and (calibrat\$3 or adjust\$3 or compensat\$3 or tun\$3) with phase\$1 and optim\$6 and coefficient\$1 and high with rat\$3 and low with nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 11:35	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
103	BRS	8	digital adj filter\$1 and (allpass or all-pass or all adj pass) and group adj delay\$3 and (calibrat\$3 or adjust\$3 or compensat\$3 or tun\$3) and phase\$1 and optim\$6 and coefficient\$1 and high with rat\$3 and low with nois\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/04 11:35	